

ADDRESS TX HB 942 AMMONIUM NITRATE LAW



www.idsiinternational.com

New Local Laws – HB 942

← → ↺ www.capitol.state.tx.us/BillLookup/History.aspx?LegSess=84R&Bill=HB942

Texas Legislature Online
History

Home My TLO House Senate Legislation Search Committees Calendars

History Text Actions Companions Amendments Authors Sponsors Captions Bill Stages

Bill: HB 942 Legislative Session: 84(R) Council Docur

Last Action: 06/16/2015 E See remarks for effective date

Caption Version: Enrolled

Caption Text: Relating to the storage of certain hazardous chemicals; transferring enforcement of certain reporting requirements, including the imposition of criminal penalties; amending provisions subject to a criminal penalty; reenacting a criminal offense.

Author: Kacal | Morrison | Flynn | Keffer | King, Tracy O.

Coauthor: Burns | Cook | González, Mary | Guillen | Metcalf | Reynolds | Sheffield | Springer | Stephenson

Sponsor: Birdwell

Cosponsor:

Subjects: Environment--General (I0340)
Environment--Hazardous, Toxic & Nuclear Waste (I0333)
Fire Fighters & Police--General (I0370)
Safety (I0740)
State Agencies, Boards & Commissions (I0749)
FIRE SAFETY & PREVENTION (S0273)
ENVIRONMENTAL QUALITY, TEXAS COMMISSION ON (V0334)
STATE HEALTH SERVICES, DEPARTMENT OF (V0463)

Remarks: This Act takes effect September 1, 2015, except Sections 1 and 2 take effect immediately.

House Committee: [Environmental Regulation](#)

Status: Out of committee

Vote: Ayes=8 Nays=0 Present Not Voting=0 Absent=1

Senate Committee: [Natural Resources & Economic Development](#)

Status: Out of committee

Vote: Ayes=10 Nays=0 Present Not Voting=0 Absent=1

Actions: (descending date order)

Viewing Votes: [Most Recent House Vote](#) | [Most Recent Senate Vote](#)

Description	Comment	Date	Time	Journal Page
E See remarks for effective date		06/16/2015		

Additional Provisions for Ammonium Nitrate Storage:

1. Report 90 days after comes onsite.
2. Sharing of reports with DEM, State Fire Marshal, LEPC, and Local FD.
3. Fire Marshal inspections.
4. Emergency plans for Ammonium Nitrate Sites
5. Penalties for Non-Compliance

(C) 2015 IDSi International, Inc. All rights reserved. Material to be used for intended purposes for intended audience only.

Out-of-the-Box Features to meet HB 942

- Instant notification to SERC, DEM, State Fire Marshal, LEPC, and Fire Department when Facility submits Ammonium Nitrate in report.
- Report Listing of Facilities submitting reports with Ammonium Nitrate (location, quantity, facility contacts)
- 5 Year Comparisons of Facilities submitting reports with Ammonium Nitrate.
- View Facility will alert users that Facility stores Ammonium Nitrate
- Notifications to Facilities storing Ammonium Nitrate
- Ammonium Nitrate Offsite Emergency Plan template.
- Inspections for Ammonium Nitrate Facilities.

List Facilities Reporting Ammonium Nitrate

Facility
Facilities
Search Chemicals
Deleted Facilities
Facilities with EHS Chemicals
Active Facilities with EHS exceeding TPQ
Active Facilities with Chemicals of Interest
Facilities with Ammonium Nitrate
Facilities without Client System IDs
Active Facilities that have Not Initiated an Annual Tier II Report in Current Tier II Reporting Year
Active Facilities that have Not Completed an Annual Tier II Report in Current Tier II Reporting Year
Active Facilities that have Never Completed an Annual Tier II Report

Users easily know if the Facility Stores Ammonium Nitrate

ABC Facility (Facility ID: 110262)

2 Main Street, Anderson, IN 46011, United States
Status: Active Type: Facility

ABC Facility stores EHS over TPQ
ABC Facility stores Ammonium Nitrate

Emergency Contact: John Wilis	24 Hr Phone: 342-432-4323
Emergency Contact: Frank Williams	24 Hr Phone: 234-234-3242 x 3
Emergency Coordinator: Jane Wilson	24 Hr Phone: 234-234-3243
Compliance Contact: Janice Smith	24 Hr Phone:

Chemicals

Facility/ Report

Plan Details

Aloha Footprint

Site Map








Off-Site Response Plan

Ammonium Nitrate Plans can be created collaboratively online between Facilities and Planners for the latest, best plans for Responders.

Table of Contents

Description	Page No
I. Introduction/General Information	3
A. General Information	
B. Plan Limitations	
C. County Specific Information	
II. Extremely Hazardous Substance (EHS) List	3
III. Response/Technical Support	4
IV. Vulnerability Analysis	4
V. Evacuation/Sheltering	4
VI. Special Facilities	4
VII. Notifications	5
VIII. Transportation/Special Considerations	5
Attachment: Response Information Data Sheets for all EHS chemicals listed in Section II	5
Attachment: Maps	5
IX. Distribution List	5

Features for Responders to Map and Get Impact Analysis

	View a list of Chemicals.
	Maps the facility on the map.
	Maps the primary and secondary worst case vulnerability zone for the facility.
	Maps the primary and secondary most probable vulnerability zone for the facility.
2014 General Use Renewal (03/31/2014)	View the most current Report.
	View demographics Information to retrieve the demographic information about populations within the primary and secondary vulnerability zones. The vulnerability zone must be mapped before Demographics information will be displayed.
	View risk institution information found within the primary and secondary vulnerability zones. The vulnerability zone must be mapped before Risk Institutions will be displayed.
	View the ALOHA VZone Plume. The Plume scenarios must be added before they can be mapped.

Complete Inspections from a Common Database so all history is in ONE PLACE.

List of Inspection Reports

Lepc/Municipality :

Facility ID: [Pick Facility](#)

Inspection Report Status:

Scheduled Date From: To:

Inspection Status:

Inspector Name:

Inspection Type:

☐ Tier II Report Not Resubmitted
☐ Tier II Report Resubmitted
☐ Pending Followup Inspection

Add/Schedule Inspection

Search

Click on table header to sort and filter selections.

[1]

Page 1 of 1 (Total Results:3)

Inspection ID	Inspection Report Status	Inspection Type	Facility ID	Facility Name	Facility Address	Inspection Status	Last Updated Date	Inspector Name	Number of NOV's	Submission Status	Edit	Close	Delete
4	Open 6/18/2012	Facility Inspection	2	RASLEY OIL CO -2	1461 Wade Bare Rd Wilson City, NC 45785	Scheduled 8/22/2012	6/18/2012	Jack Brown		Completed			
2	Open 2/21/2011	Facility Inspection	3	Brown Oil	12233 N Highway 221 Numborg Avenue, Floor St, Maris Wilson City, NC 13232	NOV	4/29/2011		1	Completed			
3	Open 4/29/2011	Facility Inspection	1	RASLEY OIL CO -1	6204 S NC Highway 62 Wilson City, NC 41425	Not Scheduled	4/29/2011			Completed			

[1]

Page 1 of 1 (Total Results:3)

Ready to Implement

- All Local Law and EPCRA Requirements ready out-of-the-box.
- Exports to Tier2Submit.
- Online payment features.
- Able to manage regulatory changes as they happen.
- Immediately accessible by First Responders.
- Saves enormous resources by reducing errors, eliminating double work at various levels of government and manual work, and providing instant collaboration.

We'd love to demo the ready-to-go solution
for you.

Call us at 201-302-9494 x104 or write to
learnmore@hazconnect.com